



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

GRANULDISK

Find the complete and up-to-date range of products in our GEV Webshop



Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

GEV Webshop

www.gev-online.co.uk

www.gev-online.com



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed



thermostats

control and safety thermostats

EGO

safety thermostats

55.13_series



1

| | | | |
|--------------------|--|-----------------|-------|
| GEV No. | 375977 | Ref. No. | 14131 |
| description | safety thermostat switch-off temp. 110°C 1-pole probe ø 6mm probe L 129mm capillary pipe 1500mm connection male faston 6.3mm | | |



1

| | | | |
|--------------------|---|-----------------|----------------|
| GEV No. | 375976 | Ref. No. | 10603 14130 |
| description | safety thermostat switch-off temp. 97°C 1-pole probe ø 6mm probe L 129mm capillary pipe 1470mm connection male faston 6.3mm | | |

TECASA

control thermostats



1

| | | | |
|--------------------|--|-----------------|----------------|
| GEV No. | 375975 | Ref. No. | 10602 14087 |
| description | thermostat t.max. 120°C temperature range 30-120°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 1850mm capillary pipe isolated 1530mm gland nut shaft ø 6x4.6mm shaft L 16mm shaft position lower rotation 315° 400V no to be sold in France | | |

control equipment

TELEMECANIQUE (EFA)

XB4 series

rotary switches



1

| | | | |
|--------------------|--|-----------------|-------|
| GEV No. | 347384 | Ref. No. | 21122 |
| description | rotary selector mounting measurements ø22mm 1NO 0-1 latching | | |

lamps

indicator lights

indicator lights (complete)

ø22mm



1

| | | | |
|--------------------|-----------------------------------|-----------------|----------------|
| GEV No. | 357109 | Ref. No. | 10270 23709 |
| description | indicator light ø 22mm 250V clear | | |

solenoïd valves

solenoïd valves (water)

TP



1

| | | | |
|--------------------|---|-----------------|-------|
| GEV No. | 370032 | Ref. No. | 18191 |
| description | solenoid valve single straight 24VAC inlet 3/4" outlet 14mm DN10 TP flow regulating valve inlet white | | |

spare parts for 370032

| | | | |
|--------------------|---------------------|-----------------|---|
| GEV No. | 371035 | Ref. No. | — |
| description | solenoid coil 24VAC | | |

accessories for 370032
















| | | | |
|--------------------|--|-----------------|---|
| GEV No. | 371220 | Ref. No. | — |
| description | reducer TP flow rate 3l/min red tolerance ±15% | | |

| | | | |
|--------------------|---|-----------------|---|
| GEV No. | 371221 | Ref. No. | — |
| description | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |

| | | | |
|--------------------|---|-----------------|---|
| GEV No. | 371222 | Ref. No. | — |
| description | reducer TP flow rate 6l/min grey tolerance ±15% | | |

Table continues overleaf



| accessories for | | 370032 | |
|---|---------|--------|------------|
|  | GEV No. | 371223 | Ref. No. — |
| reducer TP flow rate 10l/min white tolerance ±15% | | | |
|  | GEV No. | 371224 | Ref. No. — |
| reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
|  | GEV No. | 371225 | Ref. No. — |
| reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
|  | GEV No. | 371226 | Ref. No. — |
| reducer TP flow rate 20l/min red tolerance ±15% | | | |
|  | GEV No. | 371230 | Ref. No. — |
| reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
|  | GEV No. | 371231 | Ref. No. — |
| reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
|  | GEV No. | 371232 | Ref. No. — |
| reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
|  | GEV No. | 371233 | Ref. No. — |
| reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
|  | GEV No. | 371234 | Ref. No. — |
| reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
|  | GEV No. | 371235 | Ref. No. — |
| reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
|  | GEV No. | 371236 | Ref. No. — |
| reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
|  | GEV No. | 371237 | Ref. No. — |
| reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
|  | GEV No. | 371238 | Ref. No. — |
| reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
|  | GEV No. | 371239 | Ref. No. — |
| reducer TP flow rate 5l/min black tolerance ±25% | | | |
|  | GEV No. | 371240 | Ref. No. — |
| reducer TP flow rate 8l/min blue tolerance ±20% | | | |

metal

ASCO

3-way



1

| | | | |
|-------------|--|----------|----------------------------|
| GEV No. | 370681 | Ref. No. | 10540 10540-01 21252 |
| description | solenoid valve brass 3-ways 24VAC connection John Guest 6mm NC DN 1.6mm p max 8.5bar 50/60Hz | | |



1

| | | | |
|-------------|--|----------|----------------|
| GEV No. | 370680 | Ref. No. | 10539 21251 |
| description | solenoid valve brass 3-ways 24VAC connection John Guest 6mm NO DN 1.6mm p max 8.5bar 50/60Hz | | |

electrodes



1

| | | | |
|-------------|---|----------|----------------------------------|
| GEV No. | 403322 | Ref. No. | 10287 10513 10529 22758 |
| description | level electrode 3/8" total length 75mm probe L 46mm insulated probe length 46mm connection M4 thread 3/8" | | |



equipment-specific units

for dishwashers

miscellaneous



1

| | | | |
|----------------|--------|-----------------|-------|
| GEV No. | 692231 | Ref. No. | 10334 |
|----------------|--------|-----------------|-------|

| | | | |
|--------------------|---|--|--|
| description | bush H 30mm D1 ø 30mm D2 ø 34.5mm ID ø 25.5mm | | |
|--------------------|---|--|--|

gaskets

special gaskets

miscellaneous



1

| | | | |
|----------------|--------|-----------------|-------|
| GEV No. | 901527 | Ref. No. | 18070 |
|----------------|--------|-----------------|-------|

| | | | |
|--------------------|--|--|--|
| description | gasket L 950mm W 135mm Qty 1m thickness 3mm hole distance 93mm | | |
|--------------------|--|--|--|

C

control equipment 3

E

electrodes 4

I

indicator lights 3

indicator lights (complete) 3

L

lamps 3

S

safety thermostats 3

solenoid valves 3

T

thermostats 3