



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**ITALFORNI**

Find the complete and up-to-date range of products in our GEV Webshop



# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer

- ✓ Complete product range and all appliance data always up to date in the GEV Webshop
- ✓ Alphabetical Index at the end of the catalogue

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



- 🔍 Add to Favourites
- 🔍 Sign In with email address and usual password
- 🔍 Easy-order – place several items in your basket at the same time
- 🔍 Quick Item search – no login needed




## thermostats

### control and safety thermostats

EGO

control thermostats

55.10/19\_series



<b>GEV No.</b>	375253	<b>Ref. No.</b>	86301001
<b>description</b>	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

### control thermostats with actual value



<b>GEV No.</b>	379039	<b>Ref. No.</b>	86302001
<b>description</b>	thermostat t.max. 500°C temperature range 0-500°C 1CO 5A probe ø 8mm probe L 150mm capillary pipe 1100mm mounting ø 60mm front measurements 72x72mm		

## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



<b>GEV No.</b>	346190	<b>Ref. No.</b>	86125011
<b>description</b>	rocker switch mounting measurements 30x22mm green 1NO/NO 12V 6A illuminated I, II connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		

## lamps

### indicator lights

indicator lights (complete)

ø10mm

with plug-in socket



<b>GEV No.</b>	359140	<b>Ref. No.</b>	86132001
<b>description</b>	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		

### screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9



<b>GEV No.</b>	359599	<b>Ref. No.</b>	86130003
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

### oven lamps

universal oven lamps

mounting diameter 35.5mm




<b>GEV No.</b>	357162	<b>Ref. No.</b>	86131004
<b>description</b>	oven lamp mounting ø 35.5mm 12V 20W socket G4 temp.-resist. 300°C connection cable 450mm hard glas		

<b>spare parts for</b>	357162		
<b>GEV No.</b>	359599	<b>Ref. No.</b>	86130003

<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C		
--------------------	--	--	--


<b>GEV No.</b>	359762	<b>Ref. No.</b>	86131007
<b>description</b>	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		

<b>GEV No.</b>	359942	<b>Ref. No.</b>	86133004
<b>description</b>	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		

1

<b>GEV No.</b>	359762	<b>Ref. No.</b>	86131007
<b>description</b>	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		




1

<b>GEV No.</b>	359942	<b>Ref. No.</b>	86133004
<b>description</b>	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		

**lamps**

**halogen lamps**

for socket G4 / G6.35 / G9




1 **500°C**

<b>GEV No.</b>	359599	<b>Ref. No.</b>	86130003
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

**contactors**

**SIEMENS**

**power contactors**




1

<b>GEV No.</b>	380526	<b>Ref. No.</b>	86112001
<b>description</b>	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		

**transformers**

**for lighting**




1

<b>GEV No.</b>	401847	<b>Ref. No.</b>	86103005
<b>description</b>	transformer primary 230VAC secondary 11.5VAC 50VA secondary 3.95A connection elastic terminals L 195mm W 42mm H 30mm 50/60Hz mounting distance 180mm for lighting		

**probes**

**producer-specific probes**

**probes**



1

<b>GEV No.</b>	379801	<b>Ref. No.</b>	59500001
<b>description</b>	temperature probe thermocouple cable ceramic probe -50 up to +750°C cable -100 up to +1300°C connection grip connection thread probe ø8x140mm cable lengthm		





**gas valves and ignition boxes**

**gas control valves**

**HONEYWELL**



1

<b>GEV No.</b>	101164	<b>Ref. No.</b>	84201002	
<b>description</b>	gas valve type VR4605A 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 3-37mbar operator type 230V (V404A 1329)			
<b>accessories for</b>	101164			
	<b>GEV No.</b>	101305	<b>Ref. No.</b>	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	<b>GEV No.</b>	101306	<b>Ref. No.</b>	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	<b>GEV No.</b>	101307	<b>Ref. No.</b>	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	<b>GEV No.</b>	101308	<b>Ref. No.</b>	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			



ignition boxes

BRAHMA

BRAHMA



1

<b>GEV No.</b>	106585	<b>Ref. No.</b>	87101003
<b>description</b>	ignition box BRAHMA type CM191.2 electrodes 2 waiting time 1.5s safety time 10s 230V 7VA 50-60Hz		



1

<b>GEV No.</b>	850038	<b>Ref. No.</b>	59800071
<b>description</b>	firebrick L 590mm W 49mm H 15mm		



1

<b>GEV No.</b>	850024	<b>Ref. No.</b>	21200002
<b>description</b>	firebrick L 600mm W 49mm H 15mm complete incl. holder		


equipment-specific units

for pizza ovens

glass panels



1

<b>GEV No.</b>	700335	<b>Ref. No.</b>	58300001
<b>description</b>	glass panel L 330mm W 120mm thickness 8mm		
<b>accessories for</b>	700335		
	<b>GEV No.</b>	900854	<b>Ref. No.</b>
			57700007 59300004
	oven gasket L 332mm W 128mm mineral wool		



1

<b>GEV No.</b>	850023	<b>Ref. No.</b>	52300002
<b>description</b>	firebrick L 655mm W 320mm H 14mm		

knobs

producer-specific knobs

ITALFORNI



1

<b>GEV No.</b>	112564	<b>Ref. No.</b>	81229005
<b>description</b>	knob thermostat 1-10 ø 49mm shaft ø 6x4.6mm shaft flat upper red rotation 270°		

firebricks



1

<b>GEV No.</b>	850039	<b>Ref. No.</b>	52000384
<b>description</b>	bracket for firebrick L 610mm W 45mm H 8mm		

## gaskets

## special gaskets

## miscellaneous



1

<b>GEV No.</b>	900854	<b>Ref. No.</b>	57700007 59300004
<b>description</b>	oven gasket L 332mm W 128mm mineral wool		

## springs

## tension springs



1

<b>GEV No.</b>	504856	<b>Ref. No.</b>	80501001
<b>description</b>	tension spring $\varnothing$ 14.5mm total length 153mm wire gauge $\varnothing$ 2mm thread M6 thread L 52mm		

## measuring equipment

## thermometers

## built-in thermometers

 $\varnothing$ 60mm

1

<b>GEV No.</b>	541717	<b>Ref. No.</b>	86501001
<b>description</b>	thermometer mounting $\varnothing$ 60mm t.max. 600°C 0-600°C probe $\varnothing$ 8mm probe L 150mm capillary pipe 760mm		

<b>GEV No.</b>	542311	<b>Ref. No.</b>	86501006
<b>description</b>	thermometer mounting $\varnothing$ 60mm t.max. 600°C 0-600°C probe $\varnothing$ 8mm probe L 80mm capillary pipe 880mm		

**C**

contactors	4
control thermostats	3

**G**

gas control valves	4
--------------------	---

**H**

halogen lamp	3
--------------	---

**I**

ignition boxes	5
indicator lights	3
indicator lights (complete)	3

**L**

lamps	3
-------	---

**M**

measuring equipment	6
---------------------	---

**O**

oven lamps	3
------------	---

**P**

probes	4
--------	---

**R**

rocker/momentary rocker switches	3
----------------------------------	---

**S**

switches and momentary switches	3
---------------------------------	---

**T**

thermostats	3
transformers	4